



December 17, 2001  
Project No. 97664V3

Mr. Todd Croft  
Nevada Division of Environmental Protection  
555 E. Washington, Suite 4300  
Las Vegas, NV 89101-1049

**RE: Results of monthly surface water sampling of the Las Vegas Wash at the Northshore Road Bridge.**

PROVIDING

- Geotechnical Engineering
- Construction Materials Engineering
- Environmental Engineering
- Drilling Services

Dear Mr. Croft:

Per your request, Geotechnical & Environmental Services, Inc. (GES) obtained a surface water sample from the Las Vegas Wash on November 27, 2001 near the Northshore Road Bridge. We sent this sample, under chain-of-custody protocol, to NEL Laboratories (NEL) for laboratory analysis of perchlorate. NEL's analysis revealed a perchlorate concentration of 810 micrograms per Liter ( $\mu\text{g/L}$ ). The NEL report is included with this letter, along with Perchlorate Summary Tables for 2000 and 2001.

Our services were performed using that degree of care and skill ordinarily exercised under similar circumstances by reputable engineering firms in this or similar localities. No other warranty, either express or implied, is included or intended in this report. We appreciate this opportunity to provide our services. If you have any questions regarding these results, please feel free to call us at 365-1001.

Sincerely,

**Geotechnical & Environmental Services, Inc.**

Richard Cooke  
Staff Geologist

Daniel C. Burns, C.E.M.\*  
#1692 (Expires 10/07/2003)  
Project Manager

\*"I hereby certify that I am responsible for the services described in this document and for the preparation of this document. The services described in this document have been provided in a manner consistent with the current standards of the profession and to the best of my knowledge comply with all applicable federal, state and local statutes, regulations and ordinances."

mam

Enc: 2000 & 2001 Perchlorate Summary Tables  
NEL Analytical Report

Dist: 1 original mailed to addressee

1 faxed to addressee at 486-2863

cc: fax to Jeff Gibson, American Pacific Corporation

cc: mail to Kevin Mayer, USEPA SFD 72, 75 Hawthorne Street, San Francisco, CA 94105

cc: to project file 97664V3

7150 Placid Street Las Vegas, NV 89119  
(702) 365-1001 • Fax (702) 341-7120

[www.gesnevada.com](http://www.gesnevada.com)

**Las Vegas Wash at Northshore Road Bridge  
2000 Summary of Perchlorate Concentrations**

<b>Date Sampled</b>	<b>Perchlorate (µg/L)</b>
1/27/00	569
2/28/00	720
3/29/00	870
4/27/00	750
5/30/00	740
6/28/00	410
7/27/00	650
8/28/00	510
9/27/00	430
10/26/00	340
11/29/00	370
12/26/00	320

**Las Vegas Wash at Northshore Road Bridge  
2001 Summary of Perchlorate Concentrations**

<b>Date Sampled</b>	<b>Perchlorate (µg/L)</b>
1/25/01	280
2/27/01	350
3/27/01	480
4/26/01	320
5/29/01	240
6/27/01	400
7/25/01	550
8/27/01	420
9/27/01	460
10/25/01	420
11/27/01	810

**NEL LABORATORIES**Reno • Las Vegas  
Phoenix • BoiseLas Vegas Division  
4208 Arcata Way, Suite A • Las Vegas, Nevada 89030  
702-657-1010 • Fax: 702-657-1577  
1-888-368-3282

CLIENT: Geotechnical & Env. Serv.  
7150 Placid  
Las Vegas, NV 89119  
ATTN: Dan Burns


PROJECT NAME: FPF  
PROJECT NUMBER: 97664 V3

NEL ORDER ID: L0111221

Attached are the analytical results for samples in support of the above referenced project.

Samples submitted for this project were not sampled by NEL Laboratories. Samples were received by NEL in good condition, under chain of custody on 11/27/01.

Should you have any questions or comments, please feel free to contact our Client Services department at (702) 657-1010.

  
Stan Van Wageningen  
Laboratory Manager

12/14/01  
Date

CERTIFICATIONS:

	<u>Reno</u>	<u>Las Vegas</u>	<u>S. California</u>
Arizona	AZ0520	AZ0518	AZ0605
California	1707	2002	2264
US Army Corps of Engineers	Certified	Certified	

	<u>Reno</u>	<u>Las Vegas</u>	<u>S. California</u>
Idaho	Certified	Certified	
Montana	Certified	Certified	
Nevada	NV033	NV052	CA084
L.A.C.S.D.			10228

**NEL LABORATORIES**

CLIENT: Geotechnical & Env. Serv.  
PROJECT ID: FPF  
PROJECT #: 97664 V3

CLIENT ID: North Shore Road Bridge  
DATE SAMPLED: 11/27/01  
NEL SAMPLE ID: L0111221-01

TEST: Inorganic Non-Metals  
MATRIX: Aqueous

<u>PARAMETER</u>	<u>RESULT</u>	<u>R. L.</u>	<u>D. F.</u>	<u>METHOD</u>	<u>UNITS</u>	<u>ANALYZED</u>
Perchlorate	810	80.	20	EPA 314	µg/L	12/14/01

R.L. - Reporting Limit

D.F. - Dilution Factor

ND - Not Detected

*This report shall not be reproduced except in full, without the written approval of the laboratory.*

**NEL LABORATORIES**

CLIENT: Geotechnical & Env. Serv.  
PROJECT ID: FPF  
PROJECT #: 97664 V3  
TEST: Non-Metals

CLIENT ID: Method Blank  
DATE SAMPLED: NA  
NEL SAMPLE ID: 011214CLO4-BLK

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>D. F.</u>	<u>METHOD</u>	<u>UNITS</u>	<u>ANALYZED</u>
Perchlorate	ND	4	1	EPA 314	µg/L	12/14/01

D.F. - Dilution Factor

ND - Not Detected

*This report shall not be reproduced except in full, without the written approval of the laboratory.*

NEI Work Order: 1811221

702-657-1010 • Fax: 702-657-1577 • 888-368-3282

DEC-14-2001 FRI 05:19 PM NEL LABORATORIES

# LETTER OF TRANSMITTAL

## GEOTECHNICAL & ENVIRONMENTAL SERVICES, INC.

7150 Placid Street  
Las Vegas, Nevada 89119  
(702) 365-1001 (702) 341-7120 (FAX)

TO: NV Division of Environmental Protection Date: December 17, 2001  
555 E. Washington, Ste 4300  
Las Vegas, Nevada 89101-1049 PROJECT: Las Vegas Wash at the  
Northshore Road Bridge  
ATTN: Mr. Todd Croft GES PROJECT # 97664V3

### WE ARE FORWARDING THE ITEMS LISTED BELOW VIA:

       MESSENGER        PICK UP        X U.S. MAIL        "NEXT DAY"

<u>COPIES</u>	<u>DESCRIPTION</u>
<u>1</u>	<u>Results of monthly surface water sampling of the Las Vegas Wash at the Northshore Road</u> <u>Bridge.</u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>

THESE ITEMS ARE SENT FOR:        REVIEW        COMMENT        APPROVAL        USE  
       SIGN & RETURN        OTHER:       

REMARKS:         
      

THIS MATERIAL SENT BY: Daniel C. Burns, C.E.M.  
PLEASE SIGN AND RETURN ONE COPY OF TRANSMITTAL.

RECEIVED BY:        TIME:        DATE:       

OTHER DISTRIBUTION:         
      

If enclosures are not as noted, please notify us at once.